DIT636 / DAT560 - Assignment 3: Fault-Based Testing and Finite-State Verification

Due Date: Sunday, March 10th, 23:59 (Via Canvas)

There are two questions worth a total of 100 points. You may discuss these problems in your teams and turn in a single submission for the team (zipped archive) on Canvas. Answers must be original and not copied from online sources.

<u>Report Template:</u> A template for your report can be found at <u>https://chalmers.instructure.com/courses/27815/files/folder/Assignments?preview=32906</u> <u>46</u>

<u>Cover Page:</u> On the cover page of your report, include the name of the course, the date, your group name, and a list of your group members.

Peer Evaluation: All students must also submit a peer evaluation form. This is a separate, individual submission on Canvas.

Problem 1 - Mutation Testing (45 Points)

In this question, you will apply Mutation Testing to the CoffeeMaker example from Assignment 2.

The CoffeeMaker code can be found at:

https://github.com/Greg4cr/dit636_examples/tree/main/src/as2-coffeemaker

- 1. Create six mutants for classes from the CoffeeMaker project.
 - Your report should include the mutated code and an explanation of how it differs from the original code and why it belongs in one of the categories indicated below. In this explanation, be detailed. Feel free to give examples of test input (20 Points).
 - i. One mutant must be **invalid** (does not compile).
 - ii. One must be **equivalent** to the original code (you inserted a fault, but no test case can possibly yield a different solution to the original code).
 - iii. Two mutants must be **valid-but-not-useful** (all tests, or almost all tests, will expose this mutation).
 - iv. Two mutants must be **useful** (only a small number of specifically-designed tests will expose this mutation).
 - You must apply at least four different mutation operators across this set, and you must use at least one mutation operator from each of the three categories in the attached handout.
- 2. Assess the test suite that you created for **Assignment 2** using these mutants:.
 - Identify which test cases expose which mutants (test cases that expose a mutant pass on the original code and fail on the mutated code). (10 Points).
 - Explain why these tests expose each mutant. For any non-equivalent mutants not exposed, explain why they were not exposed. **(10 Points)**
- 3. Then, if needed, design additional test cases that detect the remaining mutants and describe why they succeed in detecting them, highlighting what differentiates the new tests from past test cases. (5 Points)
 - If all mutants were detected by existing tests, just make it clear in the report.

Include both the report as well as the code for the test cases in your submission.

Hint: You do not have to use the same classes or methods for all mutant categories. Try mutating different parts of the code. You may use any class except Main or the exceptions.

For more information on the mutations, see Chapter 16 of Software Testing and Analysis.

Problem 2 - Finite-State Verification (55 Points)

For this exercise, you are required to create a finite-state model of a traffic-light controller and verify its properties using the NuSMV symbolic model checker.

NuSMV is one of the few free and open-source model checkers. Similar tools are used at MANY companies writing safety-critical code like Volvo, Boeing, and Amazon (e.g., <u>https://www.amazon.science/working-at-amazon-from-nasa-ames-research-center-to-automated</u> <u>-reasoning-group-aws-neha-rungta</u>). Knowing how to use any of these tools could prove very useful in getting a specialized well-paying job.

NuSMV can be downloaded from <u>http://nusmv.fbk.eu/</u> A tutorial for NuSMV can be found at: <u>https://nusmv.fbk.eu/tutorial/v26/tutorial.pdf</u>

NuSMV is a **command-line tool**. It is available for all major operating systems. To check your properties, you can simply run the following command from the command line:

(Windows) NuSMV <model filename>
(Mac/Linux) ./NuSMV <model filename>

Consider a simple model, with a property at the end:

```
MODULE main
VAR
request : boolean;
state : {ready, busy};
ASSIGN
init(state) := ready;
next(state) := case
    state = ready & request = TRUE : busy;
    TRUE : {ready, busy};
esac;
SPEC AG (state = ready);
```

This model has two variables, **request** and **state**. **request** is an input from the outside environment, outside of our control. Therefore, its value is set randomly at each timing step (with possible values "true" and "false"). **state** is an internal variable of our model, with values "ready" and "busy". We set its value based on the value of **request** and the current value of **state**. If the current value is "ready" and we get a request, we transition to the value "busy". Otherwise, we set the next value of **state** randomly. The property states that the value of **state** is always "ready", and will always remain "ready". This is absolutely not going to be the case. Therefore, when we run NuSMV, we get a counterexample illustrating a situation where the property is violated (the value of **state** becomes "busy"):



Because we set the value randomly in the absence of a request, it will eventually become "busy" no matter what we do, as is the case in this example. The counterexample consists of two steps (two state transitions). In the first, **request** is "false", and **state** is "ready". Because **request** is "false", we set the next value of **state** randomly. As a result, in the second step, **state** becomes "busy" (**request** is not printed, as its value is not relevant).

Now, it is your turn to design a slightly more complicated model - a traffic-light controller.

- Assume that the controller manages traffic and pedestrian lights at the intersection of two roads, both with two-way traffic.
- Pedestrians can request access to cross the road by pressing a "walk button".
- Assume that the system has traffic sensors for each direction to detect if vehicles are
 present and waiting to pass through, which allows the system to manage traffic flow
 efficiently by varying the amount of time the lights are green for each road/direction
 based on demand. Your model should capture and represent this notion of varying time
 in some manner (i.e., do not completely abstract away time).
- There are emergency vehicle sensors for each direction which lets the system provide priority access for emergency vehicles by switching lights appropriately.

You may state and make any other reasonable simplifying assumptions that you need. A simplified traffic light model appears in the slides for Lecture 14. Understanding that model is a good first step in solving this problem, but **not a complete solution**. There is also a useful model example in Exercise Session 6.

In your submission, you must address the following:

- 1. In the report, define the scope, assumptions, and requirements for the system that are modeling. **(10 Points)**
 - Give a brief description of the system and environment you have modeled.
 - State any assumptions that you have made.
 - State the requirements you expect the system to satisfy.
 - There is not a specific format this must be in. We are most interested in understanding your thought process and assumptions. Feel free to change the template.
- 2. Build a finite state model of the system in the NuSMV language. Be sure to write sufficient comments in the model. (20 Points)
- 3. Write at least three **safety** properties ("something bad must never happen") in temporal logic (CTL or LTL) that must be satisfied by the system. **(10 Points)**
 - In the report, explain each property and state which system requirements those properties are derived from.
- 4. Write at least three **liveness** properties ("something good must eventually happen") in temporal logic (CTL or LTL) that must be satisfied by the system. **(10 Points)**
 - In the report, explain each property and state which system requirements those properties are derived from.
- 5. Verify your properties on your system using the NuSMV symbolic model checker and provide a transcript of your NuSMV session. **(5 Points)**
 - This transcript should be provided as a separate file, not placed in the report.